



For Use With *PANDUIT*
FIBERRUNNER 4x4, 6x4, 12x4 and
24x4 Cable Routing Systems


FIBERRUNNER Spill-Over Junction

PANDUIT Part Numbers: FRSPJ2X2, FRSPJC24, FRSPJC26, FRSPJC212, FRSPJ4X4, FRSPJC44, FRSPJC46, FRSPJC412

INSTALLATION INSTRUCTIONS







© 2009 PANDUIT Corp.

FIBERRUNNER Spill-Over Junction - Typical Installation
(*FIBERRUNNER* 4x4, 6x4 and 12x4 only)



INSTALLATION INSTRUCTIONS

FIBERRUNNER Spill-Over Junction - Typical Installation continued...




INSTALLATION INSTRUCTIONS


FIBERRUNNER Spill-Over Junction - Typical Installation

(FIBERRUNNER 24x4 only)

1



2



INSTALLATION INSTRUCTIONS

FIBERRUNNER Spill-Over Junction - Typical Installation continued...

3

Head of T-Bolt to be completely seated flush against Support Bracket and flange on Channel

1/4-20 Hex KEPS Lock Nut


FR716DR

4


INSTALLATION INSTRUCTIONS

FIBERRUNNER Spill-Over Junction Channel Cover - Typical Installation







(FIBERRUNNER 4x4, 6x4 and 12x4 only)



FIBERRUNNER Spill-Over Junction Channel Cover - Typical Hinging Operation



INSTALLATION INSTRUCTIONS



Instruction Sheet RW251

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

17301 Ridgeland Avenue
Tinley Park, IL 60477-3901
Web Site: www.panduit.com



Fax: 708-532-1811
Technical Support: 800-777-3300
E-mail: cs@panduit.com